July 10, 2007

TAC Report Summary Commercial Landings and Target Quota Utilization (May 2006- April 2007)

	2006 FY Commercial	Percent of TAC	Target TAC
Species & Stock Area	Landings		
	(metric tons)	%	(metric tons)
Cod			
GOM	3,206	N/A*	5,146*
GB	2,957	48%	6,132
Haddock			
GOM	639	50%	1,279
GB	2,218	6%	35,309
Yellowtail			
CC/GOM	420	N/A*	650*
GB	1,396	N/A*	2,070*
SNE/MA	144	N/A*	146*
Pollock	6,480	N/A*	12,005*
Redfish - 500s	511	26%	1,946
White Hake	1,381	67%**	2,056**
American Plaice	1,005	N/A*	3,666*
Winter Flounder			
GOM	213	N/A	N/A
GB	968	68%	1,424
SNE/MA	1,557	N/A*	2,481*
Witch Flounder	1,370	25%	5,511
Windowpane			
North	107	28%	389
South	76	44%	173
Ocean Pout	2	5%	38
Monkfish			
Northern Area	6,677	86%	7,737
Southern Area	5,909	161%	3,667

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.

^{*}TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.

^{**}TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Northeast Preliminary Fisheries Statistics

Multispecies (May 2006– April 2007) & Scallop (February 2006 - March 2007)

Fishery Statistics Office Northeast Regional Office National Marine Fisheries Service Gloucester, MA 01930

July 2007

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

Note: 1) Data of selected species are reported in detail (see table of contents).

2) This report will become available on the NMFS website: http://www.nero.noaa.gov/ro/fso/mul.htm.

TABLE OF CONTENTS

COD	<u>r</u>	age
	1.A - Preliminary Landings by Stock Area. 1.B - Preliminary Landings by Major Ports and States	
HADDOCH	ζ.	
Tables	2.A - Preliminary Landings by Stock Area. 2.B - Preliminary Landings by Major Ports and States.	
YELLOW	TIAL FLOUNDER	
Tables	3.A - Preliminary Landings by Stock Area	
ATLANTIC	C POLLOCK	
Tables	4.A - Preliminary Landings by Stock Area. 4.B - Preliminary Landings by Major Ports and States	
REDFISH		
Tables	5.A - Preliminary Landings by Stock Area	
WHITE HA	AKE	
Tables	6.A - Preliminary Landings by Stock Area	
AMERICA	N PLAICE	
Tables	7.A - Preliminary Landings by Stock Area	
WINTER F	FLOUNDER	
Tables	8.A - Preliminary Landings by Stock Area	
WITCH FI	LOUNDER	
Tables	9.A - Preliminary Landings by Stock Area	
WINDOW	PANE FLOUNDER	
Tables	10.A - Preliminary Landings by Stock Area	
SILVER H	AKE	
Tables	11.A - Preliminary Landings by Year and Month	
RED HAK	E	
Tables	12.A - Preliminary Landings by Year and Month	
MONKFIS	Н	
Tables	13.A - Preliminary Landings by Year and Month	

SCALLOP

Tables	14.A - Preliminary Landings by Year and Month	
STATISTI	CAL AREAS	
A char	t for the 3 Digit Statistical Areas	29

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

															200)6*	200	05*	Fishing
	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	May06 - Apr07 as a % of	Target TAC ⁺	May05 - Apr06 as a % of	Target TAC ⁺	Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Target TAC	Metric Tons	Target TAC	Metric Tons	Metric Tons
GULF OF MAINE	23	321	447	258	176	181	252	573	319	217	375	66	3,206	52%	N/A	5,146**	N/A	6,372**	
															4				
OTTER TRAWL	20			94 162		51 129	95 155		91 183		192		, -		2				
GILLNET HOOK	3	143	194	162	123	129	155	306	183				1,567 186						
OTHER GEARS		1	2	0	1	1	1	3	16		9		49		2				
OTHER GEARS					U	U			10	3				170	4				
GEORGES BANK	184	372	144	182	209	246	278	342	138	94	317	451	2,957	48%	48%	6,132	56%	4,090	1
OTTER TRAWL	172			100		222	228		106		313	429	2,571				46%		
GILLNET HOOK	5 8	29	34	69	13 21	10 10	41	26	17		0	10	261				6%		4
OTHER GEARS	0	<i>/</i>	5	3	4	10	6	1	12		3	12	75 50				3% 1%		-
OTTER GEARS		J] 3	0	- 4	3	0	1	12	<u>'</u>	0		30	170	1 76		1 70		•
ALL AREAS	207	692	591	440	385	427	530	915	457	311	691	517	6,163	100%					
OTTER TRAWL	191	507	355	194	224	273	323	565	197	159	505	483	3,976	65%					
GILLNET	8	173		231	135		196												
HOOK	8	7	0	5	22	10	4	4	32	59	92	17	261	4%	5				
OTHER GEARS	0	6	7	10	4	5	7	13	28	9	9	1	98	2%					
LANDINGS - ALL AREAS																			
Fishing Year 2006		692	591	440	385	427	530	915	457	311	691	517	6,163						6,163
Fishing Year 2005		881	829	521	358	308	320	608	446	316	445	341	5,699						5,699
Fishing Year 2004		726	828	443	461	406	562	714	538	390	544	679	6,667						6,667
Fishing Year 2003 Fishing Year 2002		1,373 1,343	875 1.114	830 821	533 605	601 557	651 674	914 1.125	499 752	476 562	756 1.444	1,033 1,578	9,110 11,488						9,110 11,488
Fishing fear 2002	913	1,343	1,114	021	005	557	0/4	1,120	132	302	1,444	1,376	11,400						11,400

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

- Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.
- ** TAC includes commercial landings and discards, and recreational landings.
- + US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 7,458 metric tons (16,442 thousand lbs.)

Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May 2006-April 2007

			STOCK	AREAS					GEA	R TYPES			
PORT/ STATE	MAY06 - APR 07	GULF OI	MAINE	GEORGE	SBANK	OTTER '	TRAWL	GILL	.NET	но	ок	ОТНЕ	R GEARS
	Metric Tons	Metric Tons	Percent										
Portland, ME	422	275	65%	147	35%	295	70%	122	29%	5	1%	0	0%
Gloucester, MA	2,143	1,874	87%	269	13%	1,021	48%	919	43%	172	8%	31	1%
Boston, MA	293	62	21%	231	79%	293	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,755	6	0%	1,749	100%	1,752	100%	3	0%	0	0%	0	0%
Point Judith, RI	128	0	0%	127	100%	127	100%	0	0%	0	0%	0	0%
MAINE	547	400	73%	147	27%	317	58%	225	41%	5	1%	1	0%
NEW HAMPSHIRE	438	438	100%	1	0%	134	31%	303	69%	0	0%	2	0%
MASSACHUSETTS	4,998	2,368	47%	2,631	53%	3,364	67%	1,284	26%	257	5%	94	2%
RHODE ISLAND	169	0	0%	169	100%	152	90%	16	10%	0	0%	1	0%
CONNECTICUT	2	0	0%	2	96%	2	96%	0	0%	0	0%	0	0%
NEW YORK	8	0	0%	8	100%	7	87%	0	0%	0	0%	1	13%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,163	3,206	52%	2,957	48%	3,976	65%	1,828	30%	261	4%	98	2%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

3. Gear data are based on vessel trip reports.

^{2.} Landings in live weight.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

														200)6*	20	05*	Fishing
MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	as a % of	Target TAC ⁺	as a % of	Target TAC ⁺	Year* Landings
Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	ianger inte	Metric Tons	ranger into	Metric Tons	Metric Tons
9	51	36	21	34	22	24	32	41	76	277	17	639	22%	50%	1,279	17%	4,735	
R	45	32	10	30	17	21	22	10	26	1/17	10	308	1/1%	31%		11%		4
0	6	3	2	2	4	3	4	2	7									1
0	0	0	0	1	1	0	6	20	31		5	167	6%					1
0	0	0	0	0	0	0	0	0	11	0	0	13	0%	1%		0%		1
415	349	59	149	186	281	144	125	75	28	75	332	2,218	78%	6%	35,309	42%	12,282	1
																		4
408		56	142	180			51				321	1,863						4
7	U	1	1	1	U	_	27	U	0	0	11	200						-
0	0	0	. 3	2	134	01			0	0	0							-
	,						10					- 10	270	0,0		070		1
0	0	0	0	0	0	0	0	0	0	1	0	1	0%	1				
0	0	0	0	0	0	0	0	0	0	1	0	1	0%					
0	0	0	0	0	U	U	0	Ŭ	v	0	0	0	0%					
0	0	0	0	0	0	0	0		0	0	0	0		4				
0	0	0	0	0	0	0	0	0	0	0	0	0	0%	4				
424	400	95	171	219	303	168	157	116	104	353	349	2,858	100%					
417	349	89	161	211	163	101	73	93	54	. 220	331	2 261	79%	1				
0	6	4	4	. 3	4	5	5					69	2%	1				
7	44	2	5	3	135	61	33	20	31	107	16	466	16%					
0	0	0	0	2	1	0	46	0	11	0	0	62	2%					
								-										2,858
																		5,969 7,826
					-		-											7,826 7,065
	817	731	435	521	597	248	275											7,005
	Metric Tons 9	Metric Tons Metric Tons 9 51	Metric Tons Metric Tons Metric Tons 9 51 36 8 45 32 0 6 3 0 0 0 0 0 0 415 349 59 408 304 56 0 0 1 7 44 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 424 400 95 417 349 89 0 6 4 7 44 2 0 0 0 0 0 0	Metric Tons Metric Tons	Metric Tons Page 2 3 3 4 3 3 4 3 3	Metric Tons 42 415 428 481 428 481 </td <td>Metric Tons Metric Tons</td> <td>Metric Tons Metric Tons A 415</td> <td> Metric Tons Park Tons Park Park </td> <td> Metric Tons Metric Tons </td> <td> Metric Tons</td> <td> Metric Tons Metric Tons </td> <td> Metric Tons Metric Tons </td> <td> Metric Tons Metric Tons </td> <td>MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 DCC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 APR - 2007 MAR - 2007 APR - 2007</td> <td> Metric Tons Metric Tons </td> <td>MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 NOV - 2006 DEC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 MAY 06 - APR 07 May 06 - Apr 07 May 0</td> <td>MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 NOV - 2006 DEC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 MAY 06 - APR 07 May06 - April of a 3 in the second of the second of</td>	Metric Tons Metric Tons	Metric Tons A 415	Metric Tons Park Tons Park Park	Metric Tons Metric Tons	Metric Tons	Metric Tons Metric Tons	Metric Tons Metric Tons	Metric Tons Metric Tons	MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 DCC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 APR - 2007 MAR - 2007 APR - 2007	Metric Tons Metric Tons	MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 NOV - 2006 DEC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 MAY 06 - APR 07 May 06 - Apr 07 May 0	MAY - 2006 JUN - 2006 JUL - 2006 AUG - 2006 SEP - 2006 OCT - 2006 NOV - 2006 DEC - 2006 JAN - 2007 FEB - 2007 MAR - 2007 APR - 2007 MAY 06 - APR 07 May06 - April of a 3 in the second of

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- Fishing Year is May 1 through April 30.
- + US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 49,829 metric tons (109,851 thousand lbs.)

7/10/2007

Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May 2006 - April 2007

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 06 - APR 07	GULF OF	MAINE	GEORGE	S BANK	MID-AT	LANTIC	OTTER	TRAWL	GILL	NET	нс	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent												
Portland, ME	295	53	18%	242	82%	0	0%	277	94%	3	1%	14	5%	1	0%
Gloucester, MA	950	442	47%	508	53%	0	0%	675	71%	45	5%	218	23%	12	1%
Boston, MA	201	30	15%	170	85%	0	0%	201	100%	0	0%	0	0%	0	0%
New Bedford, MA	994	5	0%	989	100%	0	0%	946	95%	0	0%	0	0%	48	5%
Point Judith, RI	43	0	0%	43	100%	0	0%	43	100%	0	0%	0	0%	0	0%
MAINE	299	57	19%	242	81%	0	0%	280	94%	4	1%	14	5%	1	0%
NEW HAMPSHIRE	41	41	100%	0	0%	0	0%	33	80%	8	20%	0	0%	0	0%
MASSACHUSETTS	2,448	541	22%	1,906	78%	0	0%	1,879	77%	57	2%	452	18%	60	2%
RHODE ISLAND	69	0	0%	68	99%	1	0%	69	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,858	639	22%	2,218	78%	1	0%	2,261	79%	69	2%	466	16%	62	2%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

																20	06*	200)5*	Fishing
		MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	7 APR - 2007	MAY 06	- APR 07	May06 - Apr07 as a % of Target TAC	Target TAC ⁺	May05 - Apr06 as a % of Target TAC	Target TAC ⁺	Year* Landings
		Metric Tons	Metric Tons	Percent of Area	a	Metric Tons	raiget IAC	Metric Tons	Metric Tons											
GULF OF MAINE		0	2	3	2	1	1	1	1	6	2	5	1	25	1%					
																_				
	OTTER TRAWL	0	2	3	2	1	1	1	1	6	2	2 5	5 1	25						
	GILLNET	0	0	Ŭ	0	0	0	Ŭ	ŭ	0	0) (,	0	0,0					
	HOOK	0		·	·	0	0	-	v	0	0	`		0	0 / 0					
	OTHER GEARS	0	0	0	0	0	0	0	0	0	0) () 0	0	0%	2				
CAPE COD		1	58	50	40	55	11	8	37	28	31	65	10	395	20%	1				
	OTTER TRAWL	1	46		40	55				23										
	GILLNET	0	12		0	0	0			5	14			65						
	HOOK	0	J	·	0	0	0	v	v	0	0	`	, ,	0	0%					
	OTHER GEARS	0	0	0	0	0	0	0	0	0	0) () 0	0	0%	<u>)</u>				
GULF OF MAINE & CAPE	COD	1	60	53	42	56	12	10	38	34	33	70	11	420	21%	N/A	650**	N/A	1,233**	
GEORGES BANK		221	146	96	69	19	46	72	153	125	167	154	127	1.396	71%	N/A	2070**	N/A	4260**	
OLOKOLO BANK			140	30	- 03	13	40	12	133	123	107	134	127	1,550	7170	19/7	2010	14/5	7200	1
	OTTER TRAWL	221	146	96	65	18	46	72	153	125	167	154	1 127	1,390	71%	5				
	GILLNET	0	0	0	0	0	0	0	0	0	0) (0	0	0%	5				
	HOOK	0	0	0	0	0	0	0	0	0	0) (0	0	0%					
	OTHER GEARS	0	0	0	5	1	0	0	0	0	C) (0	6	0%	<u> </u>				
SNE/ MID-ATLANTIC		13	5	26	18	11	1	2	11	13	10	13	18	144	7%	N/A	146**	N/A	1,982**	
	OTTED TO AVAIL	40	5	00	40	44			44	40	40		10	444	70/					
	OTTER TRAWL GILLNET	13	5	26	18	11	0	2	11	13	10	13		144	7% 0%					
	HOOK	0	0	0	0	0	0	Ü	0	0	0		,	0	0%					
	OTHER GEARS	0	0	0	0	0	0	0	0	0	0		, ,	0	0%					
	OTTIER GEARG		0						U O			′1	0		070	1				
ALL AREAS		235	211	176	130	87	59	84	203	173	211	237	156	1,960	100%					
	OTTER TRAWL	235	198	173	125	85	59	84	202	167	196	5 208	3 156	1,889	96%	-				
	GILLNET	233			123	65	0			107	14			1,009						
	HOOK	0			0	0	0	-		0	0			0.0	0%					
	OTHER GEARS	0			ŭ	1	0		-	0	0			6	0%					
LANDINGS - ALL AREAS			<u> </u>				İ				Ì									1
	Fishing Year 2006	235	211	176	130	87	59	84	203	173	211	237	156	1,960						1,960
	Fishing Year 2005	442	542	628	435	174	131	348	540	221	326	207	26	4,021						4,021
	Fishing Year 2004	700	1,455	1,573	1,299	358	74	27	160	215	376	220	64	6,522						6,522
																				4 0 4 0
	Fishing Year 2003 Fishing Year 2002	591 616	422 525	311 262	245 220	133 309	231 322	585 166	765 657	387 519	437 531	285 674	454 540	4,846 5,341						4,846 5,341

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

 ** TAC includes commercial landings and discards.

 $+ \quad \text{US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 2,070 metric tons (4,563 thousand lbs.)}$

7/10/2007

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May 2006 - April 2007

					STOCK	AREAS							GEAR	TYPES			
PORT/ STATE	MAY 06 - APR 07	GULF O	FMAINE	CAPE	COD	GEORGE	S BANK	SOUTHE ENGL		OTTER '	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	15	0	0%	2	10%	14	89%	0	0%	15	100%	0	0%	0	0%	0	0%
Gloucester, MA	202	9	4%	163	81%	30	15%	0	0%	169	84%	32	16%	0	0%	0	0%
Boston, MA	49	1	0%	25	50%	23	48%	0	0%	49	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,349	3	0%	60	4%	1,263	94%	22	2%	1,343	100%	0	0%	0	0%	5	0%
Point Judith, RI	132	0	0%	0	0%	48	36%	84	64%	132	100%	0	0%	0	0%	0	0%
MAINE	15	0	0%	2	10%	14	89%	0	0%	15	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	16	11	69%	5	31%	0	0%	0	0%	15	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	1,753	14	1%	388	22%	1,325	76%	26	2%	1,682	96%	65	4%	0	0%	5	0%
RHODE ISLAND	150	0	0%	1	1%	58	38%	91	61%	149	100%	0	0%	0	0%	0	0%
CONNECTICUT	9	0	0%	0	0%	0	0%	9	98%	9	100%	0	0%	0	0%	0	0%
NEW YORK	18	0	0%	0	0%	0	0%	18	100%	18	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,960	25	1%	395	20%	1,396	71%	144	7%	1,889	96%	65	3%	0	0%	6	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 0	6- APR 07	May06 - Apr07 as a %	Target	20 May 05- Apr06 as a %	05* Target TAC	Fishing Year* Landings
	Metric Tons	Percent of Area	of Target	TAC Metric Tons	of Target	Metric Tons	Metric Tons												
400's & 500's	159	443	515	456	453	460	1,021	721	556	649	730	314	6,478	100%					
OTTER TRAWL	149	358	294	191	205	165	180	190	454	617	652	231	3,687	57%					
GILLNET			294			294				31									
HOOK	11	04	219	2.54	240	294	039	330		0	78	0.5	2,771	0%					
OTHER GEAF	2 0	1	2	10	1	0	1	0	1	0	0	0	17						
			•			•]				
600's	1	0	0	0	0	0	0	0	0	0	0	0	1	0%					
OTTER TRAWL	- 1	0	0	0	0	0	0		0	0	0	0		0%	-				
GILLNET		0	0	0	0	0	0	0	0	0	0	0	1	0%	1				
HOOK		0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEAR		0	0	0	0	0	0	0	0	0	0	0	0	0%	-1				
		•	•	•		•	•		•	•	•	•		•					
ALL AREAS	160	443	515	456	453	460	1,021	721	556	649	730	314	6,480	100%	N/A	12,005**	60%	10,584]
OTTED TO AVAIL	450	050	00.4	101	205	105	400	100	45.4	0.17	050	201	0.000	570/			050/		
OTTER TRAWL			294 219	191 254	205 246	165 294				617 31			3,688 2,771				35% 25%		
HOOK		04	219	254	240	294	039	0 0		31	76	03	2,771	43% 0%			0%		ł
OTHER GEAR		1	2	10	1	0	1	0		0	0	0	17				0%		1
LANDINGS - ALL AREAS																			
Fishing Year 2006		443	515	456	453	460	1,021	721	556	649	730	314	6,480						6,480
Fishing Year 2005		460	787	515	496	693	643	537	525	375	670	289	6,327						6,327
Fishing Year 2004		465	405	371	369	472	549	478	501	506	710	321	5,456						5,456
Fishing Year 2003		403 238	409 268	364 254	332 221	348 193	471 277	493 369	466 411	421 397	437 591	281 312	4,683						4,683
Fishing Year 2002	194	238	268	254	221	193	211	369	411	397	591	312	3,726		I				3,726

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.
- ** TAC includes US and Canadian landings.

Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS					GEA	R TYPES			
PORT/ STATE	MAY 06 - APR 07	400's 8	k 500's	600)'s	OTTER	TRAWL	GILL	.NET	но	ок	OTHER	R GEARS
	Metric Tons	Metric Tons	Percent										
Portland, ME	1,314	1,314	100%	0	0%	754	57%	560	43%	0	0%	0	0%
Gloucester, MA	2,704	2,702	100%	1	0%	1,863	69%	839	31%	1	0%	0	0%
Boston, MA	508	508	100%	0	0%	508	100%	0	0%	0	0%	0	0%
New Bedford, MA	444	444	100%	0	0%	427	96%	10	2%	0	0%	7	2%
Point Judith, RI	5	5	100%	0	0%	5	100%	0	0%	0	0%	0	0%
MAINE	1,587	1,587	100%	0	0%	776	49%	810	51%	0	0%	1	0%
NEW HAMPSHIRE	1,031	1,030	100%	0	0%	59	6%	971	94%	0	0%	1	0%
MASSACHUSETTS	3,853	3,852	100%	1	0%	2,845	74%	990	26%	3	0%	16	0%
RHODE ISLAND	8	8	100%	0	0%	8	98%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,480	6,478	100%	1	0%	3,688	57%	2,771	43%	3	0%	17	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings

		1	1	1				1							20	D6*	200)5*	Fishing
	MAY - 200	6 JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	as a % or	Target TAC	May 05- Apr06 as a % of	Target TAC	Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Target TAC	Metric Tons	Target TAC	Metric Tons	Metric Tons
400's	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTTER TRA	10/1	0 0			0	0	0				0		0	0%					
GILLI		0 0	0	0	0	0	0	0	0		0	0	0		1				
HO		0 0	0	0	0	0	0	0	0		0	0	0		i				1
OTHER GI		0 0	C	0	0	0	0	0	0	C	0	0	0						
]
500's	11	31	27	34	37	34	28	51	65	72	75	46	511	100%	26%	1,946	34%	1,725	
OTTER TRA	WL 1	0 27	22	29	31	30	23	47	59	70	70	37	456	89%	23%		29%		
GILLI		1 3	22	29	31	30	23	47	59			. 9					29% 4%		1 /
HO		0 0	- 0	0	0	0	0	0	0		0	0	1	0%			0%		
OTHER GI		0 0	C	0	0	0	0	0	0	C	0	0	0				0%		
		•																	
600's	0	0	0	0	0	1	1	0	0	0	0	0	2	0%	1				1
OTTER TRA	14/1	0 0				0	0						4	00/	4				1 !
GILLI		0 0		0	0	0	0	0	0		0	0	1	0%	1				1 !
HO		0 0	0	0	0	0	0	0	0	0	0	0	0	0%	1				
OTHER GI		0 0	C	0	0	1	0	0	0	C	0	0	1	0%	1				
		•																	1
ALL AREAS	11	31	27	34	37	35	29	52	65	72	75	46	513	100%					
OTTER TRA	WL 1	0 27	22	29	31	30	24	47	59	70	70	37	457	89%					
GILLI		1 3	Δ	29	6	30	5	47	59		70	. 9							
HO		0 0	C	0	0	0	0	0	0	0	0	0	1	0%					1
OTHER GI		0 0	O	0	0	1	0	0	0	O	0	0	1	0%					
LANDINGS - ALL AREAS																			
Fishing Year 2		31	27	34	37	35	29	52	65	72	75	46	513						513
Fishing Year 2		44	32	38	47	42	46	47	60	71	89	33	582						582
Fishing Year 2 Fishing Year 2		19	25	33	47	46	37 27	36 17	34 32	48 37	92 34	53	485 415						485 415
Fishing Year 2		29 28	22 14	21 17	98 22	39 18	17	20	32	26	67	32 18	307						307
. Johnny Tour 2									. 32					1	1		ı		

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

^{2.} Landings in live weight.

^{3.} Gear data are based on vessel trip reports.

Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May 2006 - April 2007

				STOCK	AREAS						GEAR	TYPES			
PORT/ STATE	MAY 06 - APR 07	400	0s	500	0s	60	0s	OTTER	TRAWL	GILL	NET	н	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent												
Portland, ME	128	0	0%	128	100%	0	0%	105	82%	23	18%	0	0%	0	0%
Gloucester, MA	170	0	0%	169	100%	0	0%	155	91%	15	9%	0	0%	0	0%
Boston, MA	150	0	0%	150	100%	0	0%	150	100%	0	0%	0	0%	0	0%
New Bedford, MA	34	0	0%	34	100%	0	0%	34	99%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	138	0	0%	138	100%	0	0%	110	79%	28	20%	0	0%	0	0%
NEW HAMPSHIRE	8	0	0%	8	100%	0	0%	2	21%	6	78%	0	0%	0	0%
MASSACHUSETTS	365	0	0%	364	100%	0	0%	344	94%	19	5%	1	0%	0	0%
RHODE ISLAND	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	0	0%	1	100%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	1	0	0%	0	0%	1	100%	0	0%	0	0%	0	0%	1	100%
TOTAL	513	0	0%	511	100%	2	0%	457	89%	54	10%	1	0%	1	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

^{2.} Landings in live weight.

^{3.} Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings

															20	06*	20	05*	Fishing
	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	as a % of	Target TAC	May 05- Apr06 as a % of	Target TAC	Year* Landings
	Metric Tons	Percent of Area	Target TAC	Metric Tons	Target TAC	Metric Tons	Metric Tons												
SNE/ NORTH	57	112	167	148	114	129	125	117	114	102	109	61	1,355	98%					
OTTER TRAWL	55	72	72	80	81	109	99	106	104	100	108	53	1,036	75%					
GILLNET	33	40	95	68					104	100	108	7	306		1				
HOOK	1	40	95	00	0	10	3	10	10		0	0	10		•				
OTHER GEARS	0	0	0	0	0	0	1	0	0	0	0	1	3	0%					
OTHER GEARS		U	U			U			U	0				070					
MID-ATLANTIC	8	1	0	2	1	1	2	4	4	0	0	4	26	2%	1				
OTTER TRAWL	5	1	0	2	1	1	2	4	4	0	0	4	23						
GILLNET	3	0	0	0	0	0	0	0	0	0	0	0	3	0%					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0		0%					
ALL AREAS	65	113	167	150	116	130	126	121	118	102	109	65	1,381	100%	67%	2,056**	63%	3,822	
OTTER TRAWL	61	72	72	82	82	110	100	110	107	100	108	56	1,059	77%			48%		1
GILLNET	4	40	95	68			22		10	2	1	7	309		1		13%		1
HOOK	0	0	0	0	0	5	3	1	0	0	0	0	10				2%		1
OTHER GEARS	0	0	0	0	0	0	1	0	0	0	0	1	3	0%	1		0%		
LANDINGS - ALL AREAS																			
Fishing Year 2006		113	167	150	116	130	126	121	118	102	109	65	1,381						1,381
Fishing Year 2005	192	283	240	297	207	174	176	148	219	213	184	85	2,417				1		2,417
Fishing Year 2004	229	337	365	393	285	212	215	238	252	269	240	128	3,163				1		3,163
Fishing Year 2003	465	379	470	457	365	358	311	248	277	353	377	212	4,272				1		4,272
Fishing Year 2002	173	228	311	320	302	272	241	262	363	289	458	267	3,486						3,486

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May 2006 - April 2007

	STATE MAY 06 - APR 07 SOUTHERN NEW ENGLAND		AREAS						GEAR TY	PES			
PORT/ STATE	MAY 06 - APR 07			MID-ATI	LANTIC	OTTER	TRAWL	GILI	NET	НО	ок	ОТІ	HER GEARS
	Metric Tons	Metric Tons	Percent										
Portland, ME	553	553	100%	0	0%	410	74%	140	25%	3	1%	0	0%
Gloucester, MA	429	427	100%	2	0%	347	81%	79	19%	2	0%	0	0%
Boston, MA	184	184	100%	0	0%	184	100%	0	0%	0	0%	0	0%
New Bedford, MA	64	64	100%	0	0%	57	89%	7	11%	0	0%	0	0%
Point Judith, RI	2	1	68%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	600	600	100%	0	0%	435	73%	161	27%	3	1%	0	0%
NEW HAMPSHIRE	54	54	100%	0	0%	3	5%	52	95%	0	0%	0	0%
MASSACHUSETTS	695	693	100%	2	0%	594	86%	93	13%	7	1%	1	0%
RHODE ISLAND	5	1	27%	3	73%	2	38%	3	62%	0	0%	0	0%
CONNECTICUT	2	1	0%	1	61%	1	86%	0	0%	0	0%	0	0%
NEW YORK	25	5	21%	20	79%	24	94%	0	0%	0	0%	1	6%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,381	1,355	98%	26	2%	1,059	77%	309	22%	10	1%	3	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings

															20	06*	20	05*	Fishing
	MAY - 2006	JUN - 2006	JUI - 2006	AUG - 2006	SFP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FFB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	May06 -	Target	May 05-	Target	Year*
		2000				200			2001		2001	,			Apr07 as a %	TAC	Apr06 as a %	TAC	Landings
	Metric Tons	Matria Tona	Metric Tons	Matria Tona	Percent of Area	of Target	Metric Tons	of Target	Metric Tons	Metric Tons									
GULF OF MAINE/ GB		157	80	93	126		100	82	76	55	62				a IAC	Wether rons	TAC	Metric Toris	Wether foris
GOLF OF MAINE/ GB	39	157	80	93	126	84	100	62	76	55	62	47	1,001	100%	-				
OTTER TRAWL	38	156	79	92	117	84	100	82	76	55	61	47	988	98%	-				
GILLNET	1	1	1	1	0	0	0	0	0	0	1	0	5	0%	5				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	5				
OTHER GEARS	0	0	0	0	8	0	0	0	0	0	0	0	8	1%	5				
		•	•	•		•		•	•	•	3	•		•					
SNE / MID-ATLANTIC	1	0	0	1	0	0	0	0	0	1	0	0	4	0%					
OTTER TRAWL	1	0	0	1	0	0	0	0	0	1	0	0	4	0%	<u> </u>				
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	<u> </u>				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	<u> </u>				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	<u> </u>				
ALL AREAS	40	157	80	94	126	84	100	82	76	55	62	47	1,005	100%	N/A	3,666**	N/A	3,625**	•
OTTER TRAWL	39	156	80	94	117	84	100	82	76	55	61	47	992		<u> </u>				
GILLNET	1	1	1	1	0	0	0	0	0	0	1	0	5	0%	<u> </u>				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	8	0	0	0	0	0	0	0	8	1%)				
LANDINGS - ALL AREAS																			
Fishing Year 2006		157	80	94	126	84	100	82	76	55	62	47	1,005						1,005
Fishing Year 2005		171	115	127	123	95	116	105	121	102	76	49	1,287	1					1,275
Fishing Year 2004		205	179	221	215	108	140	132	141	100	82	74	1,656						1,656
Fishing Year 2003		359 302	240	276	246	199	180	147	124	111	118	95 435	2,220	1					2,220
Fishing Year 2002	∠14	302	343	309	322	252	213	218	208	119	194	135	2,829						2,829

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.
- ** TAC includes commercial landings and discards.

Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 06 -APR 07	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	.NET	НО	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	295	294	100%	1	0%	293	99%	2	1%	0	0%	0	0%
Gloucester, MA	223	222	99%	1	1%	221	99%	2	1%	0	0%	0	0%
Boston, MA	175	175	100%	0	0%	175	100%	0	0%	0	0%	0	0%
New Bedford, MA	261	261	100%	0	0%	253	97%	0	0%	0	0%	8	3%
Point Judith, RI	17	17	97%	1	0%	17	100%	0	0%	0	0%	0	0%
MAINE	302	301	100%	1	0%	300	99%	2	1%	0	0%	0	0%
NEW HAMPSHIRE	6	6	100%	0	0%	5	91%	1	0%	0	0%	0	0%
MASSACHUSETTS	670	668	100%	2	0%	659	98%	2	0%	0	0%	8	1%
RHODE ISLAND	27	26	96%	1	4%	27	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,005	1,001	100%	4	0%	992	99%	5	0%	0	0%	8	1%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings

		MAY 2006	IIIN 2006	IIII 2006	VIIC 2006	SED 2006	OCT 2006	NOV 2006	DEC - 2006	IAN 2007	EED 2007	MAR 2007	ABB 2007	MAY 06	- APR 07	20 May06 -	06*	20 May 05-	005*	Fishing Year*
		WAT - 2006	JUN - 2006	JUL - 2006	AUG - 2006	3EF - 2000	OC1 - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	WAR - 2007	APK - 2007	WATOO	- AFK 07	Apr07 as a % of Target	Target TAC	Apr06 as a % of Target	Target TAC	Landing
		Metric Tons		Percent of Area	TAC	Metric Tons	TAC	Metric Tons	Metric Tons											
GULF OF MAINE		9	24	26	11	22	9	15	28	19	9	32	10	213	8%	N/A	**	N/A	2,634***	
	OTTER TRAWL	0	20	22	0	21	0	14	26	18	7	22	10	185	7%					
	GILLNET	0	20	3	3	1	1	14	20	18	2	10		29						
	HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0						
	OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0						
GEORGES BANK		147	226	159	81	43	52	73	110	24	4	6	43	968	35%	68%	1,424	71%	3.000	4
GEORGEO BANK		147	220	100	01	70	32	- 73	110				73	300	3370	0070	1,727	7170	3,000	1
	OTTER TRAWL	146	225	159	81	40	52	73	109	24	4	6	43	963	35%	68%		71%		1
	GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
	HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0%		0%		
	OTHER GEARS	1	0	0	0	3	0	0	0	0	0	0	0	5	0%	0%		0%		-
SNE/ MID-ATLANTIC		153	84	142	153	323	195	172	109	66	27	23	111	1,557	57%	N/A	2,481***	N/A	3,550***	-
	OTTER TRAWL	150	83	142	152	321	195	170	108	65	25	23	106	1,541						
	GILLNET HOOK	1	0	0	1	2	0	1 0	0	0	<u>1</u>	0	5	13						
	OTHER GEARS	1	0	0	0	0	0	0	0	0	0	0	0	3	0.10					
		- 1	-	-																
ALL AREAS		308	334	326	245	388	256	260	247	109	40	61	164	2,738	100%					
	OTTER TRAWL	305	328	322	242	381	255	257	244	107	36	51	159	2,689	98%					
	GILLNET	1	5	4	3	3	1	2	3	1	3	10		41						
	HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0						
	OTHER GEARS	2	1	0	0	3	0	1	1	0	0	0	0	8	0%					
LANDINGS - ALL ARE																				
	ishing Year 2006	308	334	326	245	388	256	260	247	109	40	61	164	2,738						2,738
	Fishing Year 2005	335 675	903	647	397 525	417 567	260	232 345	173 405	81 05	43	82	160	3,728						3,728
	Fishing Year 2004	675 871	668 899	620 901	525 498	431	376 489	345 557	405 396	95 105	44 87	64 158	96 390	4,481 5,781						4,481 5,781
	Fishing Year 2002	741	835	572	391	593	513	456	504	201	100	222	291	5,761						5,761

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.

 *** TAC includes commercial landings and discards, and recreational landings.

Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May 2006 - April 2007

				STOCK	AREAS						GEA	R TYPES			
PORT/ STATE	MAY 06 - APR 07	GULF OF	FMAINE	GEORGI	ES BANK	SOUTHE ENGL	RN NEW LAND	OTTER	TRAWL	GILL	NET	НО	ок	OTHE	R GEARS
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	31	0	0%	11	36%	20	63%	31	100%	0	0%	0	0%	0	0%
Gloucester, MA	104	76	73%	25	24%	2	2%	89	86%	15	14%	0	0%	0	0%
Boston, MA	27	6	23%	17	64%	4	13%	27	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,457	2	0%	871	60%	584	40%	1,450	100%	0	0%	0	0%	6	0%
Point Judith, RI	490	0	0%	15	3%	475	97%	490	100%	0	0%	0	0%	0	0%
MAINE	31	0	0%	11	36%	20	63%	31	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	5	5	100%	0	0%	0	0%	3	72%	1	28%	0	0%	0	0%
MASSACHUSETTS	1,733	207	12%	924	53%	603	35%	1,696	98%	31	2%	0	0%	6	0%
RHODE ISLAND	546	1	0%	33	6%	513	94%	538	98%	8	2%	0	0%	0	0%
CONNECTICUT	50	0	0%	1	0%	50	99%	50	100%	0	0%	0	0%	0	0%
NEW YORK	190	1	0%	0	0%	189	100%	188	99%	0	0%	0	0%	1	1%
NEW JERSEY	182	0	0%	0	0%	182	100%	182	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,738	213	8%	968	35%	1,557	57%	2,689	98%	41	2%	0	0%	8	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings

																20	06*	20	05*	Fishing
		MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	May06 - Apr07 as a % of Target	Target TAC	May 05- Apr06 as a % of Target	Target TAC	Vear*
		Metric Tons	Percent of Area	TAC	Metric Tons	TAC	Metric Tons	Metric Tons												
GULF OF MAINE/ GB		100	203	195	109	104	89	84	83	87	67	135	90	1,346	98%					
	OTTER TRAWL	99	194	189	107	101	89	84	83	87	67	135	90	,						
	GILLNET	0	9	6	2	0	0	0	0	0	0	0	0	18	170					
	HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0% 0%					
	OTHER GEARS	U	U	U	U	3	0	U	U	U	U	0	0	3	0%					
SNE/ MID-ATLANTIC		5	1	3	1	7	1	1	0	1	1	1	1	24	2%					
	OTTER TRAWL	5	1	3	1	7	1	1	0	1	1	1	1	24	2%					
	GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
	HOOK OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0% 0%					
	OTHER GEARS	U	U	U	U	U	0	U	U	U	U	0	0	U	0%					
ALL AREAS		105	203	198	110	112	91	85	83	88	68	136	91	1,370	100%	25%	5,511	37%	6,992	
	OTTED TD 414#		105	400	100	400						100			000/	100/		070/		4
	OTTER TRAWL GILLNET	104	195	192	108	108	91	84	83	88	68	136	91	1,349	98% 1%			37% 0%		4
	HOOK	0	9	0	2	0	0	0	0	0	0	0	0	18	0%			0%		4
	OTHER GEARS	0	0	0	0	3	0	0	0	0	0	0	0	4	0%			0%		
LANDINGS - ALL AREA			-				_	-			_	-	·		*,*					
	ishing Year 2006	105	203	198	110	112	91	85	83	88	68	136	91	1,370						1,370
F	ishing Year 2005	188	316	314	243	172	153	178	139	204	260	256	169	2,591						2,591
	ishing Year 2004	129	337	335	264	298	166	228	204	201	185	288	252	2,888						2,888
F	ishing Year 2003	211	434	464	286	276	228	202	156	167	281	258	239	3,202						3,202
F	ishing Year 2002	164	321	427	310	255	163	151	141	144	243	302	176	2,798						2,798

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 06 -APR 07	GULF OF	MAINE		RN NEW _AND	OTTER	TRAWL	GILL	NET	но	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	292	291	100%	0	0%	292	100%	0	0%	0	0%	0	0%
Gloucester, MA	337	336	100%	1	0%	322	96%	15	4%	0	0%	0	0%
Boston, MA	206	206	100%	0	0%	206	100%	0	0%	0	0%	0	0%
New Bedford, MA	392	392	100%	0	0%	389	99%	0	0%	0	0%	3	1%
Point Judith, RI	43	27	65%	15	35%	43	100%	0	0%	0	0%	0	0%
MAINE	298	297	100%	0	0%	297	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	17	17	100%	0	0%	16	95%	1	0%	0	0%	0	0%
MASSACHUSETTS	995	994	100%	1	0%	975	98%	16	2%	0	0%	3	0%
RHODE ISLAND	53	38	70%	16	30%	53	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	2	86%	2	87%	0	0%	0	0%	0	0%
NEW JERSEY	4	0	0%	4	100%	4	98%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,370	1,346	98%	24	2%	1,349	98%	18	1%	0	0%	4	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 10.A. - Preliminary Commercial Windowpane Flounder Landings

																06*	20	05*	Fishing
	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	May06 - Apr07 as a % of Target	Target TAC	May 05- Apr06 as a % of Target	Target TAC	Year* Landings
	Metric Tons	Percent of Area	TAC	Metric Tons	TAC	Metric Tons	Metric Tons												
GULF OF MAINE/ GB	16	2	2	4	1	1	2	7	5	14	32	21	107	59%	28%	389	5%	534	
								_	_	ļ									
OTTER TRAWL		2	2	4	1	1	2	7	5	14	32	21	107				5%		
GILLNET HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	070	0% 0%		0% 0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0				0%		
OTTER GEARS		l 0	0		U	U	U	0	0	,, 0	1 0	0	0	0 76	0 /0		0 /6		
SNE/ MID-ATLANTIC	12	1	3	4	1	1	1	12	10	3	4	24	76	41%	44%	173	15%	273	
OTTER TRAWL	12	1	3	4	1	1	1	12	10	3	4	24	75	41%			14%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0			0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
ALL AREAS	28	3	6	9	2	2	3	18	15	17	36	45	183	100%	ł				
ALL AREAS	20	3		9			3	10	15	17	30	45	103	100%					
OTTER TRAWL	27	3	6	9	2	2	3	18	15	17	36	45	182	100%	1				
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	1				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	1				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
LANDINGS - ALL AREAS																			
Fishing Year 2006		3	6	9	2	2	3	18	15	17	36	45	183						183
Fishing Year 2005		3	2	4	3	1	4	7	3	5	9	13	67						67
Fishing Year 2004		2	4	2	3	1	5	4	6	17	10	18	78						78
Fishing Year 2003 Fishing Year 2002		3	1	3	<1 1	1	1	6	9	14	11	23 13	82 61						83 61
Fishing fear 2002				1	_ '			1 9			,	13	01						01

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS					GEAR	TYPES			
PORT/ STATE	MAY 06 -APR 07	GULF OF	MAINE	SOUTHE ENGL		OTTER	TRAWL	GILL	NET	НО	ок	OTHER	GEARS
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
New Bedford, MA	95	92	97%	3	3%	95	100%	0	0%	0	0%	0	0%
Point Judith, RI	15	9	63%	6	37%	15	100%	0	0%	0	0%	0	0%
								_				-	
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	101	97	97%	3	3%	101	100%	0	0%	0	0%	0	0%
RHODE ISLAND	15	9	63%	6	37%	15	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	0	0%	2	95%	3	100%	0	0%	0	0%	0	0%
NEW YORK	43	0	0%	43	100%	43	99%	0	0%	0	0%	0	0%
NEW JERSEY	21	0	0%	21	100%	21	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	183	107	59%	76	41%	182	100%	0	0%	0	0%	0	0%

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	Fishing Year* Landings
	Metric Tons	Percent of Area	Metric Tons												
GULF OF MAINE	9	2	39	337	291	4	11	1	13	3	2	3	716	14%	
OTTER TRAWL	9	0	38	333	290	4	11	1	13	3	2	3	706		
GILLNET	0	2	1	4	1	0	0	0	0	ŭ	0	0	10	0%	
НООК	0	0	0	0	0	0	0	0	0		0		0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
		1													
SNE/ MID-ATLANTIC	538	497	493	295	233	290	264	267	350	292	418	363	4,300	86%	
OTTED TO AM	500	407	100	005	200	207	00.4	207	050	000	440	000	4.000	000/	
OTTER TRAWL	538	497	493	295	233	287	264	267 0	350				4,296		
GILLNET HOOK	0	0	0	0	0	3	0		0		0		3	0%	
OTHER GEARS	0	0	0	0	0	0	0	0			0	_	0	0% 0%	
OTHER GEARS	0	U	U	U	U	0	U	U	U	U] 0] 0	U	0%	
ALL AREAS	547	499	531	632	524	294	276	268	363	295	420	366	5.015	100%	
														10070	
OTTER TRAWL	547	497	530	628	523	291	275	268	362	295	419	366	5,002	100%	
GILLNET	0	2	1	4	1	4	0	0	0	0	0	0	13	0%	
ноок	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
LANDINGS - ALL AREAS															
Fishing Year 2006	547	499	531	632	524	294	276	268	363	295	420	366	5,015		5,015
Fishing Year 2005	691	873	830	973	827	382	271	352	255	375	576	404	6,811		6,811
Fishing Year 2004	600	716	754	856	763	446	416	235	404	413	701	471	6,776		6,776
Fishing Year 2003	580	326	895	544	1,197	774	595	699	522	557	848	292	7,828		7,828
Fishing Year 2002	814	616	767	764	826	644	520	418	497	496	566	212	7,140		7,140

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS		GEAR TYPES									
PORT/ STATE	MAY 06 - APR 07	GULF OF	MAINE	SOUTHE ENGL		OTTER '	TRAWL	GILL	NET	НО	ок	OTHER	GEARS		
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
Gloucester, MA	144	128	89%	15	11%	141	98%	2	2%	0	0%	0	0%		
Boston, MA	9	2	22%	7	78%	9	100%	0	0%	0	0%	0	0%		
New Bedford, MA	1,392	215	15%	1,177	85%	1,386	100%	7	0%	0	0%	0	0%		
Point Judith, RI	1,403	134	10%	1,269	90%	1,403	100%	0	0%	0	0%	0	0%		
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
NEW HAMPSHIRE	41	41	100%	0	0%	41	98%	1	0%	0	0%	0	0%		
MASSACHUSETTS	1,545	346	22%	1,199	78%	1,536	99%	9	1%	0	0%	0	0%		
RHODE ISLAND	1,461	140	10%	1,321	90%	1,461	100%	0	0%	0	0%	0	0%		
CONNECTICUT	490	68	14%	422	86%	490	100%	0	0%	0	0%	0	0%		
NEW YORK	1,364	121	9%	1,243	91%	1,364	100%	0	0%	0	0%	0	0%		
NEW JERSEY	106	0	0%	106	100%	106	100%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	8	0	0%	8	100%	5	60%	3	40%	0	0%	0	0%		
TOTAL	5,015	716	14%	4,300	86%	5,002	100%	13	0%	0	0%	0	0%		

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 562, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06-	APR 07	Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons						
GULF OF MAINE	0	0	16	28	13	0	0	0	0	0	1	0	59	14%	
										_	_				
OTTER TRAWL	0	0	16	28	13	0	0	0	0	_	0	0	58		
GILLNET	0	0	0	1	0	0	0	0	0	Ŭ	0	0	2	0%	
HOOK	0	ŭ	0	0	0	0	0		0			0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	34	34	46	48	19	22	14	23	25	26	32	26	349	86%	
	•	<u> </u>					• • • • • • • • • • • • • • • • • • • •				V-		<u> </u>	0070	
OTTER TRAWL	34	33	45	47	18	21	14	23	25	25	32	26	344	84%	
GILLNET	0	0	0	0	0	1	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	1	1	0	0	0	0	0	0	0	1	5	1%	
			,					,							
ALL AREAS	35	34	62	76	31	22	14	23	25	26	33	27	408	100%	
OTTER TRAWL	34	33	61	74	31	21	14	23	25	25	32	26	401	98%	
GILLNET	0		01	1	0	1	0	0	0		0	0	2	1%	
HOOK	0	0	0	0	0	0	0	0	0		0	0	0	0%	
OTHER GEARS	0	0	1	1	0	0	0	0	0	0	0	1	5	1%	
LANDINGS - ALL AREAS															
Fishing Year 2006	35	34	62	76	31	22	14	23	25	26	33	27	408		408
Fishing Year 2005	28	40	51	72	33	17	18	19	16	21	34	29	379		379
Fishing Year 2004	77	38	62	92	82	55	44	20	26	15	21	40	572		572
Fishing Year 2003	61	54	80	69	94	87	76	65	37	48	54	59	783		783
Fishing Year 2002	56	105	103	81	124	96	54	47	58	51	61	53	888		888

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS		GEAR TYPES									
PORT/ STATE	MAY 06 - APR 07	GULF OF	MAINE	SOUTHEI ENGL		OTTER '	TRAWL	GILL	NET	НО	ок	OTHER	GEARS		
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
Gloucester, MA	41	39	97%	1	3%	39	96%	2	4%	0	0%	0	0%		
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
New Bedford, MA	59	7	11%	52	89%	59	100%	0	0%	0	0%	0	0%		
Point Judith, RI	189	6	3%	183	97%	189	100%	0	0%	0	0%	0	0%		
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
MASSACHUSETTS	99	46	46%	53	54%	98	98%	2	2%	0	0%	0	0%		
RHODE ISLAND	189	6	3%	183	97%	189	100%	0	0%	0	0%	0	0%		
CONNECTICUT	53	5	9%	48	91%	53	100%	0	0%	0	0%	0	0%		
NEW YORK	38	2	6%	36	94%	36	94%	0	0%	0	0%	2	6%		
NEW JERSEY	25	0	0%	25	100%	24	95%	0	0%	0	0%	1	5%		
OTHER NORTHEAST	3	0	0%	3	100%	2	49%	1	0%	0	0%	1	0%		
TOTAL	408	59	14%	349	86%	401	98%	2	1%	0	0%	5	1%		

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area

															20	06*	20	05*	Fishing
	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06	- APR 07	May06 - Apr07 as a % of Target	Target TAC	May05- Apr06 as a % of Target	Target TAC	Year* Landings
	Metric Tons	Percent of Area	TAC	Metric Tons	TAC	Metric Tons	Metric Tons												
NORTHERN	201	627	717	678	669	735	509	576	482	413	678	393	6,677	53%	86%	7,737	69%	13,160	
																			1 '
OTTER TRAWL		356	261		434	601	378		457	389			4,808	38%			51%		1
GILLNET HOOK	64	256	453	332	182	109	111	147	22	24	19	19	1,738	14% 0%	22% 0%		18% 0%		1
OTHER GEARS	3	15	1	0	53	25	20	0	3	0	0	0	130		2%		0%		1 '
OTTER GEARG		13		, -,	33	25	20			U			130	170	270		070	l	1 '
SOUTHERN	1,114	863	464	230	212	370	631	554	485	258	273	455	5,909	47%	161%	3,667	91%	9,673	i '
																			1 '
OTTER TRAWL			239		163	200	209		183	75			1,734	14%			25%		1
GILLNET	873	657	146	16	6	115	349	417	269	149	87	282	3,365	27%	92%		58%		1
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		1
OTHER GEARS	151	130	79	42	43	54	73	32	33	34	58	81	810	6%	22%		8%		l
ALL AREAS	1,314	1,490	1,181	909	880	1,104	1,140	1,130	967	671	951	848	12,586	100%					l
															1				1
OTTER TRAWL	223	431	499		597	801	588		640	464			6,542	52%					1
GILLNET	937	914	598	348	187	224	459	564	292	173	106	301	5,103	41%					1
HOOK	0	0	0	0	0	1	0	0	0	0	V	0	2	0%					1
OTHER GEARS	154	145	83	46	96	79	93	35	35	34	58	81	940	7%					
LANDINGS - ALL AREAS																			l
Fishing Year 2006		1,490	1,181	909	880	1,104	1,140	1,130	967	671	951	848	12,586						12,586
Fishing Year 2005		3,040	1,862 1.581	1,487	1,343 1,304	1,100	1,616	1,413	1,523 1,264	1,143	1,309	1,313 1,478	19,189						19,189 17,927
Fishing Year 2004 Fishing Year 2003	1,806 2,681	1,979 3,199	1,581	1,380 1,746	1,304 1,420	1,243 2,253	1,803 2,823	1,681 1,907	1,264	1,173 2,386	1,235 2,172	1,478 1,797	17,927 26,273						26,273
Fishing Year 2003		2.093	1,913	1,746	1,420	1,643	2,823 1.937	2.203	2.015	1,762	2,172	1,797	20,273						20,273
Fishing real 2002	1,574	2,093	1,403	1,302	1,324	1,043	1,331	2,203	2,013	1,702	2,031	1,333	21,007		I		l		21,007

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May 2006 - April 2007

			STOCK	AREAS		GEAR TYPES									
PORT/ STATE	MAY 06 - APR 07	NORTI	HERN	SOUT	HERN	OTTER	TRAWL	GILL	NET	НО	ок	OTHER	GEARS		
	Metric Tons	Metric Tons	Percent												
Portland, ME	1,318	1,314	100%	3	0%	1,269	96%	48	4%	0	0%	0	0%		
Gloucester, MA	1,704	1,692	99%	12	1%	1,001	59%	702	41%	0	0%	0	0%		
Boston, MA	1,030	1,023	99%	7	1%	1,030	100%	0	0%	0	0%	0	0%		
New Bedford, MA	3,530	1,734	49%	1,796	51%	2,232	63%	739	21%	0	0%	559	16%		
Point Judith, RI	867	58	7%	809	93%	456	53%	395	46%	0	0%	16	2%		
MAINE	1,357	1,353	100%	3	0%	1,290	95%	67	5%	0	0%	0	0%		
NEW HAMPSHIRE	274	274	100%	1	0%	32	12%	243	88%	0	0%	0	0%		
MASSACHUSETTS	7,031	4,922	70%	2,109	30%	4,331	62%	2,128	30%	2	0%	571	8%		
RHODE ISLAND	1,363	125	9%	1,238	91%	558	41%	740	54%	0	0%	66	5%		
CONNECTICUT	70	0	0%	70	100%	24	33%	31	44%	0	0%	16	22%		
NEW YORK	484	3	1%	481	99%	93	19%	384	79%	0	0%	7	2%		
NEW JERSEY	1,621	0	0%	1,621	100%	145	9%	1,258	78%	0	0%	219	13%		
OTHER NORTHEAST	386	0	0%	385	100%	71	18%	253	66%	0	0%	62	16%		
TOTAL	12,586	6,677	53%	5,909	47%	6,542	52%	5,103	41%	2	0%	940	7%		

^{1.} The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

	MAR - 2006	APR - 2006	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007		- FEB 07	Fishing Year* Landing
GULF OF MAINE	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent	Metric Ton				
GULF OF MAINE	7	15	27	34	19	12	5	1	3	5	5	9	142	1%	4
OTTER TRAWL	0	0	0	0	0	0	0	0	0	1	0	0	2	0%	,
DREDGE	6			34		11	5	1	3	4		9	140	1%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	5
SOUTH CHANNEL	391	315	530	1,864	2,033	356	478	572	419	374	194	109	7,635	30%	
OTTER TRAWL	0	7	10	4	2	1	1	1	0	2	0	0	29	0%	-
DREDGE	391			1,847	1,997	354	477	571	419			109	7,560	30%	
OTHER GEARS	0	0		13	34	0	0	0	0	0	0	0	47		5
GEORGES BANK NORTH	29	235	408	584	1,078	3,048	719	109	112	53	47	21	6,442	25%	
OTTER TRAWL	0	0	0	1	0	0	0	0	0	1	0	^	3	0%	1
DREDGE	29			582	1.078	3.038	712	109	112			21		25%	
OTHER GEARS	0			0		10		0	0	0		0	17		
GEORGES BANK SOUTH	76	134	561	805	630	122	291	217	119	37	26	21	3,040	12%	1
OTTER TRAWL	0	2	1	2	4	4	3	3	3	9			00	00/	
DREDGE	75			803		118	289	214	116	28		21	33 3.007	0% 12%	<u> </u>
OTHER GEARS	0			003	020	0	209	0	0	0		0	3,007	0%	2
OTTEN GETTING	Ů		· ·					٥			ı		Ü	070	1
S. NEW ENGLAND	27	26	38	139	112	59	14	3	3	4	3	3	430	2%	
OTTER TRAWL DREDGE	1 26			139		59	0 13	0			0	0	5 425	0% 2%	<u> </u>
OTHER GEARS	26			139	0	59	13	3	3	<u>3</u>		3	425	2% 0%	
OTHER GEARG		, o	· ·			U	U	٥					Ü	070	1
NEW YORK BIGHT	1,007	1,592	745	459	205	239	326	387	198	137	162	122	5,581	22%	
OTTER TRAWL DREDGE	998			22 437	6 199	19 218	6 318	13 364	7 182	10		118	113 5,440	0% 21%	
OTHER GEARS	998		744 0	437	199	218		364	182	127		118	5,440	21%	
OTHER GEARG			٥				•						20	070	1
DE / MD / VA	193	319	415	366	180	216	137	136	135	160	36	30	2,324	9%	
OTTER TRAWL	6			108	60	73	34	11		8		2	374	1%	
DREDGE OTHER GEARS	187			259		144	103	125	124	143		28	1,939	8% 0%	<u> </u>
OTHER GEARS	U	U	U	U	U	U	U	U		0	U	U	- '''	0%	2
VA / NC	0	1	1	10	0	0	3	4	0	0	0	0	19	0%	
OTTER TRAWL	0			0		0		0		0		0	0		
DREDGE	0		0	10		0		4		0		0	18	0% 0%	
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	0	U	1	0%	9
ALL AREAS	1.729	2,638	2,726	4,262	4.258	4,053	1.973	1.429	989	770	473	316	25,614	100%	1
	.,	-,	-,		.,	.,	1,010	.,							
OTTER TRAWL	18			137		98	44	28				5	560	2%	
DREDGE	1,711		2,674	4,111	4,151	3,943	1,920	1,391	958	729		309		97%	
OTHER GEARS LANDINGS - ALL AREAS	0	0	1	13	34	12	9	11	11	8	3	2	103	0%	
Fishing Year 2006	1,729	2,638	2,726	4,262	4,258	4,053	1,973	1,429	989	770	473	316	25,614		25,614
Fishing Year 2005	1,742	2,570	3,481	3,300	3,493	2,940	2,171	1,400	1,308	940	859	761	24,966		24,966
	2,227	2,868	3,854	3,791	2,907	2,695	2,166	1,834	2,438	1,807	1,237	1,086	28,910		28,910
Fishing Year 2004															
Fishing Year 2004 Fishing Year 2003 Fishing Year 2002	1,777 1,536	2,153 2.450	3,315 2,800	3,413 3,061	3,229 2,772	2,646	1,738 2,132	2,512	1,724 1,415	1,024	674	1,295 879	25,497 23,466		25,497 23,466

The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526 Georges Bank North: 561-562; Georges Bank South: 525 Southern New England: 537-539; New York Bight: 611-616 DE / MD / VA: 521-623, 625-627; VA / NC: 631-638

Landings in meat weight.
 Gear data are based on vessel trip reports.
 Fishing Year is March 1 through February 29.

Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March 2006 - February 2007

			STOCK AREAS														
PORT/ STATE	MAR 06 - FEB 07	GULF OI	F MAINE	SOUTH C	HANNEL	GEORGE NOR	-	GEORGE SOL		SOUTHE ENGI	RN NEW _AND	NEW YOR	RK BIGHT	DELM	IARVA		/NORTH DLINA
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	15,530	26	0%	6,138	40%	4,975	32%	2,611	17%	183	1%	1,488	10%	108	1%	0	0%
Cape May, NJ	1,597	0	0%	113	7%	132	8%	44	3%	1	0%	830	52%	470	29%	8	1%
Norfolk, VA	2,980	9	0%	322	11%	553	19%	167	6%	44	1%	1,035	35%	840	28%	10	0%
MAINE	10	8	81%	2	19%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	16,045	111	1%	6,547	41%	4,975	31%	2,612	16%	196	1%	1,493	9%	111	1%	0	0%
RHODE ISLAND	1,292	4	0%	409	32%	414	32%	171	13%	94	7%	182	14%	18	1%	0	0%
CONNECTICUT	382	3	1%	86	23%	77	20%	28	7%	17	5%	170	45%	0	0%	0	0%
NEW JERSEY	3,658	1	0%	226	6%	389	11%	62	2%	26	1%	2,449	67%	496	14%	8	0%
VIRGINIA	3,322	9	0%	328	10%	573	17%	167	5%	44	1%	1,055	32%	1,137	34%	10	0%
OTHER NORTHEAST	904	6	1%	37	4%	13	1%	0	0%	53	6%	232	26%	562	62%	1	0%
TOTAL	25,614	142	1%	7,635	30%	6,442	25%	3,040	12%	430	2%	5,581	22%	2,324	9%	19	0%

		GEAR TYPES											
PORT/ STATE	MAR 06 - FEB 07	OTTER	TRAWL	DRE	DGE	OTHER	GEARS						
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent						
New Bedford, MA	15,530	53	0%	15,439	99%	38	0%						
Cape May, NJ	1,597	122	8%	1,468	92%	7	0%						
Norfolk, VA	2,980	19	1%	2,948	99%	14	0%						
MAINE	10	1	0%	9	88%	0	0%						
NEW HAMPSHIRE	1	0	0%	1	0%	0	0%						
MASSACHUSETTS	16,045	58	0%	15,950	99%	38	0%						
RHODE ISLAND	1,292	8	1%	1,284	99%	0	0%						
CONNECTICUT	382	8	2%	373	98%	0	0%						
NEW JERSEY	3,658	153	4%	3,457	95%	47	1%						
VIRGINIA	3,322	243	7%	3,065	92%	14	0%						
OTHER NORTHEAST	904	88	10%	812	90%	3	0%						
TOTAL	25,614	560	2%	24,951	97%	103	0%						

 The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562,
Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616,
Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.

